

# 30W PoE Injector

LanPOE)

Model:

1P-GPOE-30-W

Type:

Single port PoE PSE Solution







#### **Overview**


The 1P-GPOE-30W is a single-port, high-power PoE PSE solution designed for remote PoE PD devices. This device complies with the IEEE 802.3at PoE standard and is backward-compatible with IEEE 802.3af. It is compatible with both 10/100Base-T networking devices and emerging 1000Base-T devices such as Wi-MAX and wireless IEEE 802.11n access points. With all the features offered by the PSE30TG, users can benefit from flexible network installation at a lower cost and experience less downtime. Additionally, it provides a high-bandwidth connection to the network.

#### **Features**


- Up to 30W of PoE Power.
- IEEE 802.3at compliant.
- Compatible with IEEE 802.3af or Legacy PoE applications.
- Safe on low power devices.
- Safe and Reliable Power to WLAN Access Points.
- Automatic Detection and Protection of Non-standard Ethernet Terminals.
- Supports 10/100/I000Base-T LAN environment.
- Unique interlocking feature for easy installation
- NDAA compliant.



#### **Typical Application**



### Wiring Layout



# 30W PoE Injector



#### **Specifications**

Standard Compliance • IEEE 802.3 IOBase-T Ethernet

IEEE 802.3u IOOBase-Tx Fast Ethernet
IEEE 802.3af Power over Ethernet

• IEEE 802.3at Power over Ethernet

**Connector** • RJ-45 10/100/1000 Mbps

IndicatorsAC Power (Green)PoE (Orange)

Pin Assignment & Polarity • 1/2(+), 3/6 (-)

Output Power Voltage • 54 Vdc Maximal

Power • 30 Watts Maximal

Input Power AC Input Voltage • 100~240VAC

Requirements AC Input Current • 0.8A@ 100-240 VAC

AC Frequency • 50~60 Hz

Operating Temperature • 0~45°C

Storage Humidity • Maximum 95%, Non-condensing

Dimensions (L x W x H) • 144mm x 57mm x 40mm

Weight • 350g

Regulatory

• Ro HS Compliant, CE/FCC
• Safety Approvals EN 60950:2006

## Have a question?

For troubleshooting LanPoE Smart Networking Products, please reach out to our support team and provide detailed information for assistance.

Phone: Email:

877-725-8869 <u>sales@lanpoe.com</u>